HP Color LaserJet Managed E65060 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.¹

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details.



HP Color LaserJet Managed E65060dn

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Choose and deploy over 175 HP and third-party security features.

High speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents at up to 60 images per minute.³
- This printer wakes up fast and prints your first page faster—in as quickly as 7.7 seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁶

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner Cartridges with JetIntelligence supply 86% more pages per color cartridge vs predecessor.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printerscurity(alims ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, offware application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, and boursent complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. ⁵ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary. ⁶ More pages versus prederessor cartridges claim based on page-yield comparison of HP Me47A and HP e48A Cold Or Original Laser/let Tomer Cartridges with HP Managed Color Laser.get Tomer enformation, see http://www.hp.com/go/learnaboutsupplies ⁷ HP Managed Laser/let Tomer Cartridges not included; please purchase separately.

HP Color LaserJet Managed E65060dn

Product walkaround

- 1.500-sheet output bin
- 2. Front door access to toner cartridges
- 3. Built-in automatic two-sided printing
- 4.550-sheet tray 2
- 5. 2.7-inch (6.9 cm) color graphics display with keypad
- 6. Hardware Integration Pocket¹
- 7. Easy-access USB port²
- 8. 100-sheet multipurpose tray 1
- 9. Lower right door (access to print path)
- 10. Slot for cable-type security lock
- 11. Built-in Gigabit Ethernet port
- 12. Hi-Speed USB 2.0 printing port
- 13. USB port for connecting external USB devices



Close-up of I/O ports

Series at a glance



HP Color LaserJet Managed E65060dn

	The Color Laserset Managea Losobourn
Product number	L3U56A
Print speeds, black and color (letter/A4)3	Up to 60/56 pages per minute (ppm)
100-sheet multipurpose tray 1, 550-sheet tray	2 🗸
1x550-sheet paper feeder⁴	Optional (up to two)
1x550-sheet paper feeder with stand and cabinet ⁴	Optional
3x550-sheet paper feeder and stand⁴	Optional
1x550 and 2,000-sheet HCl feeder and stand	Optional
Wireless direct, ⁵ NFC touch-to-print ⁶	Optional
Wireless networking ⁷	Optional

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ The printer comes standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. Add up to two additional 550-sheet paper feeders; or add one of the other accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCI feeder and stand). All optional accessories support media up to letter size (A4). ⁵ Add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. ⁶ Add touch-to-print capability by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁷ Add wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

For carepack availability visit: hp.com/go/cpc

Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds of up to 60 pages per minute³, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence. ${}^{\scriptscriptstyle 6}$

Accessories	
P1B09A	HP Color LaserJet 550-sheet Paper Feeder
P1B10A	HP Color LaserJet 550-sheet Paper Feeder with Stand and Cabinet
P1B11A	HP Color LaserJet 3x550-sheet Paper Feeder with Stand
P1B12A	HP Color LaserJet 1x550/2000-sheet Feeder and Stand,
J8031A	HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
F5S62A	HP Trusted Platform Module Accessory
B5L28A	HP Internal USB Ports
B5L29A	HP Secure High Performance Hard Disk Drive
E5K48A	HP 1GB DDR3 x32 144-Pin 800MHz SODIMM
Supplies	
P1B92A	HP LaserJet 220V Maintenance Kit
P1B93A	HP LaserJet Image Transfer Belt Kit
P1B94A	HP Laser Jet Toner Collection Unit
Services	
U9PD2E	HP 3 year NBD HW Support w/Defective Media Retention for Color LaserJet Enterprise E650xx Managed
U9PD5E	HP 3 year 4 hour 9x5 Hardware Support w/DMR for Color LaserJet Enterprise E650xx Managed
U9PE1PE	HP 1 year Post Warranty NBD Hardware Support w/DMR for Color LaserJet Enterprise E650xx Managed
U9PE3PE	HP 1 year Post Warranty 4 hour 9x5 HW Support w/DMR for Color LaserJet Enterprise E650xx Managed

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a rebort. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersImatProtect. For a list of printers, this text field software application, drive, and countent complexity. ⁴ Measured atter 15 min in sleep. Exact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Exact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity, and time in sleep. Stact speed varies depending on the system configuration, software application, drive, document complexity and time in sleep. Stact speed varies depending on the system configuration of HP M647A and HP 648A Color Original LaserJet Toner Cartridges with HP Managed Color LaserJet Toner Cartridges not included; please purchase separately.

HP Color LaserJet Managed E65060 series

Technical Specifications	HP Color LaserJet Managed E65060dn(L3U56A)	
Print speed	Letter: Up to 60 ppm black; Up to 60 ppm color ⁹ ; First Page Out Black: As fast as 5.7 sec; First Page Out Color: As fast as 5.7 sec ¹⁰	
Print resolution	Letter by ho op physical control of physical region of back has been regional and the region of the regional control and the regiona control and t	
Print Technology	Laser: Print Resolution Technologies: IV ImageRet 3500; 600 x 600 db; IV ProRes 1200 (1200 x 1200 db); Pantone® Calibrated	
Print Cartridges Number		
	4 (1 de hback, cyan, magenta, yellow)	
Standard Print Languages Printer Smart Software Features	H PCL 5; HP PCL 5; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)	
	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria-certified ⁷	
Memory	Standard: 1 GB; Maximum: 2 GB	
Processor Speed	1.2 GHz	
Duty Cycle	Monthly, letter: Up to 180,000 pagesRecommended Monthly Page Volume: 4,000 to 30,000	
Paper Handling	Input Capacities: 100-sheet multi-purpose tray. 550-sheet input tray 2: Up to 650 sheets standard labels legal; Uu put Capacities: 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet output bin; Up to 500 sheets standard labels legal; Uuput Capacities : 500-sheet readers (Standard); Labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined; Media Weight Supported : Tray 1: 16 to 58 lb (plain) 32 to 58 lb (plain)	
Product Dimensions	W x D x H: 20.08 x 18.03 x 20.08 in; Maximum: 37.91 x 30.31 x 20.08 in	
Product Weight	d P.83	
What's in the box	HP Color Laser Jet Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and	
	documentation; Documentation (Hardware Install Guide); Power cord- ²	
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region.	
Energy Efficiency Compliance	ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel RAL-UZ 205	
Control Panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button	
Display Description	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World')pe); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria)	
Compatible Operating Systems	additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.8, 8.6, 8.6), Linux Kedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 24), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 E Lapitan, UNIX, Windows 10 all 32- 8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows SP SP 32-bit editions (XP Home, XP Pro, etc.)	
Compatible Network Operating Systems	Cltrix MetaFrame Presentation Server 3.0, Cltrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Cltrix on Windows Server 2003/2003R2, Cltrix on Windows Server 2008/2008R2/2008 R2 SP1, Cltrix on Windows Server 2020/2012R2, Cltrix Presentation Server 4.0/4.5, Cltrix kanpp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Ireminal Services 32- and 64-bit, Cltrix KenApp 6.0/6.5, ffor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenApp 6.0/6.5, ffor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.5, ffor Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 and 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 and 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 and 2012 R2 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 and 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 And 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2012 R2 SP1 Terminal Services, 32- and 64-bit, Cltrix KenDesktop 7.0/7.5, ffor Windows Server 2003/2003 R2 32-/6, bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-/6, bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/E	
Minimum System Requirements	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	
Power	Power Supply Type: Built in 115V or 220V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power Requirements: input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; input voltage: 220V to 240V nominal, (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6 A; Power Consumption: 780 watts (printing), 31 watts (ready), 0.7 watts (Auto Off/Manual On), 0.1 (Manual Off) ³	
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 54 dB(A)	
Operating Environment	Operating Temperature Range: 59 to 86%F; Recommended Operating Temperature: 63.5 to 77%F; Storage Temperature Range: -4 to 104%C; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH	
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPser/firewall with Certificate; Pre-Shared Key; an Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Eraes; SSL/TLS (HTTPS); Encrypted Credentias; Device: Security tock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SucreStart Secure Boot: Blot Integrity Checking with Self-healing capability, Whitelisting – loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	

¹ EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.peat.net for registration status by country. ² Cartridges included; yields 10,500 color (C/V/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage. ³ Power requirements are based on the country/region where the portantian voltages. This will damage the printer and void the product varranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the printer is sold. Do not convert operating voltages. This will damage the printer and void the printer is sold. Do not convert operating voltages. This will damage the printer and void the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer and void the printer is sold. Do not convert operating voltages. This will damage the printer and void the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. This printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.