HP Color LaserJet Managed MFP E87640



Premium color value, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet MFPs—to power productivity with a streamlined design that delivers premium color value, maximum uptime, and the strongest security.



HP Color LaserJet Managed MFP E87640dn

HP Color LaserJet Managed Flow MFP E87640z

*Purchase of optional paper trays and output accessory availability varied by device

Big color. Small cost.

- Print premium, professional-quality documents with vivid color images and graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders ²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast up to 40 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network—store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

- 1. 250-sheet automatic document feeder supports media up to 11×17 inches (A3)
- . Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11 \times 17 inches (A3)
- 7. Front door access to toner cartridges
- 8. Hardware Integration Pocket (for connecting accessory and third-party devices)¹
- 9. Easy-access USB port²
- 1 . 500-sheet output bin
- 11. Automatic two-sided printing
- 1 . HP Secure High-Performance Hard Disk
- 13. 520-sheet tray 2 supports media up to letter (A4)
- 14. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 15. Slot for cable-type security lock
- 16. 2 Hi-Speed USB 2.0 Host ports
- 17. Gigabit Ethernet port
- 18. Hi-Speed USB 2.0 Device port



HP Color LaserJet Managed Flow MFP E87640z



Series at a glance





Model	HP Color LaserJet Managed MFP E87640dn	HP Color LaserJet Managed Flow MFP E87640z
Product number	Z8Z12A	Z8Z13A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E87640dn
Print speed (black and color) ³	Up to 40 pages per minute (ppm), letter and A4	Same as E87640dn
ADF capacity	250 sheets, supports media up to 11 x 17 inches (A3)	Same as E87640dn
Scan speeds (black and color)4	Simplex/duplex: 90 ipm/180 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Same as E87640dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCl Feeder, 3,000-sheet side-mount HCl Feeder, Printer Cabinet	Same as E87640dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E87640dn

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality color printing for a great value is a smart choice for any business. Produce premium, professional-quality color documents at a competitive low cost with an HP Color LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z12A HP Color LaserJet Managed MFP E87640dn **Z8Z13A** HP Color LaserJet Managed Flow MFP E87640z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 **Y1F98A** HP LaserJet Dual Cassette Department Feeder **Y1G01A** HP LaserJet Department Job Separator Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch HP LaserJet Inner Finisher Swedish Punch **Y1G04A Y1G07A** HP Laser let Booklet Finisher **Y1G12A** HP LaserJet Hole Punch Swedish Accessory **Y1G20A** HP LaserJet 3000 Sheet HCI Dept Tray Y1G21A HP LaserJet 2000-sheet HCI Input Tray

Supplies

W9050MC
 W9050MC Black Managed LaserJet Toner (54,500 pages)
 W9051MC
 W9051MC Cyan Managed LaserJet Toner (52,000 pages)
 W9052MC
 W9053MC
 HP W9053MC Magenta Managed LaserJet Toner (52,000 pages)
 HP W9053MC Magenta Managed LaserJet Toner (52,000 pages)

HP Care Packs

U9LS7E HP 1 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LS8E HP 3 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LS9E** HP 4 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LT0E** HP 5 yr Next Business Day Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT1E HP 3 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT2E HP 4 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT3E HP 5 yr 4 hour 9x5 Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed U9LT4E HP 1 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT5E HP 3 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT6E HP 4 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) HP 5 yr Next Business Day Parts Exch Svc for Color LaserJet E876xx MFP Managed (Channel Only) U9LT7E U9LT8PE HP 1 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed HP 2 yr Post Warranty NBD Svc w/Defective Media Retention for Color LaserJet E876xx MFP Managed **U9LT9PE** USI UOPF HP 1 yr Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Color Laseret E876xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP Color LaserJet Managed MFP E87640

Model Product number	HP Color Laser Jet Managed MFP E87640dn Z8Z12A	HP Color LaserJet Managed Flow MFP E87640z Z8Z13A	
Product number Functions	Print, Copy, Scan (fax and wireless optional)	EQL 13/1	
Print	9 - 14 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
Duplex print options	Automatic (standard)		
Print speed First page out ²	Black (A4, normal): Up to 40 ppm; Black (letter, normal): Up to 40 ppm; Black (A3, normal): Up to 20 ppm; Black (labloid, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (letter, duplex): Up to 40 ipm; Black (letter, duplex): Up to 40 ipm; Black (letter, duplex): Up to 40 ipm; Color (A4, ready): A5 fast as 8.1 sec; Black (A4, sedy): A5 fast as 8.1 sec; Black (A4, ready): A5 fast as 8.2 sec; Color (A4, ready): A5 fast as 8.2 sec; Black (Better, ready): A5 fast as 8.2 sec; Black (Back (B4, ready): A5 fast as 8.2 sec; Black (B4, ready): A5 fast a		
Print technology	fast as 20 sec; Color (letter, ready): As fast as 9.3 sec; Color (letter, sleep): As fast as 20 sec Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi reduced speed;	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi reduced speed; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi reduced speed	
Print cartridges number	4 (1 each black, cyan, magenta, yellow)		
Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	Add Drink Madellas Community Assettlemental UDD Drings Configuration Hallis, Drings Deployment Hallis, UD	
Printer management	Printer Administrator Resource Ri, for HP Universal Print Oriver (DPD Active Directory Administrator Templa Managed Printing Administration, PRNCORL EXE, HPPRIO, 6, Migrate-Server-Tools, UpdateNow, Remove Plug Pro Proxy Agent); HP JetAdvantage Security Manager	te, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP a and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP W	
Scan Scan technology	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS		
Scan speed ⁸	Normal, A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)	
Scan resolution	Enhanced: Up to 600 x 600 dpi; Hardware: Up to 600 x 600 dpi		
Digital sending starndard features	Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect;	?, Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Straighten; Auto Crop To Page	
Scan size	Flatbed: 105 x 148 mm; ADF scan size: 109.22 x 1397 mm	Describition (OVD) and institute	
Scan input modes Scan file format	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; C Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG,	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF	
	TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	(OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PD JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Fint from easy access USB: PDF, PS, Print Ready files (.prn., p.d., .cht)	
Copy Copy conset coftware features	Retter remote diagnosis and renair: Higher first time fiv rates: Full toner LLC utilization: Canture un-hilled n	ages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are	
Copy smart software features	designed for fewer LLC replacements and faster repairs.	ages nonnected network devices, personal printers, orreite actess to service training, As EdserJets dre	
Copy speed	cpm; Color (A4, Duplex): Up to 40 cpm; Color (letter, duplex): Up to 40 cpm	mr; Color (letter, normal): Up to 40 cpm; Black Duplex (A4): Up to 40 cpm; Black (letter, duplex): Up to 40	
First copy out	Black (A4): As fast as 6.3 sec; Color (A4): As fast as 7.4 sec; Black (A4, sleep): As fast as 20.5 sec; Color (A4, sleep): As fast as 20.5 sec; Black (letter): As fast as 6.4 sec; Black (letter, sleep): As fast as 20.5 sec	
Copy resolution Max. number of copies	Black (text and graphics): Up to 600 × 600 dpi; Color (text and graphics): Up to 600 × 600 dpi Up to 999 copies		
Max. number of copies Copier resize	25 to 400%		
Copier settings	Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview		
Fax			
Fax speed	33.6 kbps		
Fax resolution	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring det	ortion cupported: No: Fay forwarding cupported: Voc. Junk harrier cupported: Voc. Maximum cood	
Fax features	dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax po		
Fax memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages		
Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardwa	eva Integration Regists 1 Fay madem part	
Standard connectivity Mobile printing capability ³	Yes	integration Focket, Franchischem port	
Network ready	Standard (built-in Gigabit 10/100/1000T Ethernet)		
Wireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above.		
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)		
Memory Hard Disk	Standard: 7 GB; Maximum: 7 GB Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk, Total 640GB; AES 256 hardware Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.	encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data,	
Processor speed	1.2 GHz		
Duty cycle (monthly)	Up to 300,000 pages; Recommended monthly page volume: Up to 50,000		
Paper handling			
Input	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215	50 sheet tray; Optional 3000 sheet tray	
Output Modia tupo	500 sheet face-down output bin Plain, HP EccEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy		
Media type	111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored		
Media weight	Tray 1, 2, 3: 60 to 300 g/m²	157.7 mm	
Media sizes custom Dimensions (W x D x H)	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm	1011.2.11111	
vimensions (w x v x H) Weight	131.6 kg	131.6 kg	
What's in the box	Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware insta	-	
Warranty features		ments. Go to http://www.hp.com/support to learn about HP award winning service and support options in your	
Sustans	region.		
Systems Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32- & 64-bit editions, Windows R/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Mindows VISTA), Windows VISTA (MINDOWS VISTA), Windows VISTA), Windows VISTA (MINDOWS VISTA), Windows VISTA), Windows VISTA (MINDOWS VISTA), Windows VISTA), Windows VISTA, Windows		
	Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets),	Wildows vista att 320it editions (norne basic, Premium, Professionat, etc.), Wildows AP 3P3-32-bit editions (A	
Minimum system requirements		Williams vista all 320it editions (notine basic, Premium, Professional, etc.), Williams AP 3P3 32-bit editions (A	
Security management	Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Security management Fonts and Typefaces	Windows 7 al. 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;	
Security management Fonts and Typefaces	Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in		
Security management Fonts and Typefaces Control panel	Windows 7 al. 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security; SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in B4 Scalable TrueType fonts B.O-in (20.3 cm) Color Graphics Display (CGD) with tourbscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated	
Security management Fonts and Typefaces Control panel Display Power	Windows 7 al. 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; 0S hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; 0S hardware requirements see Apple.com for more info Management security; SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WIA-10 iPsec Configuration using iPsec Plug-in 84 scalable True Type fronts 8.0-in (20.3 cm) Color Graphics Display (CGD) with tourbscreen; rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: internal (Built-in) power supply; Power supply required: input voltage: 110 to 127Va	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
Security management Fonts and Typefaces Control panel Display Power Software included	Windows 7 al. 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127V; HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac C	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) SWelcome Screen (Directs users to 123.HP.com or 0S App Source for printer software), Online user manuals	
Security management Fonts and Typefaces Control panel Display Power Software included	Windows 7 al. 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127V; HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac C	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) SWelcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges	Windows 7 al. 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; 05 hardware requirements see microsoft.com Mac: 1.3 GB available hard divie space; Internet; 05 hardware requirements see Apple.com for more info Management security; SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WMA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127V; HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac C Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm; Acoustic power em simplex using A4 paper at 40 ppm; Acoustic pressure emissions bystander (ready): Inaudible	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
Security management Fonts and Typefaces Control panel Display Power Software included Acoustics	Windows 7 all 32-8. 64-bit editions, Windows 8/8.1 all 32-8. 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; 05 hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; 05 hardware requirements see Apple.com for more info Management security: SNMPv3, SZLTILS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), II Support for WMA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 110 to 127V; HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac C Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm; Acoustic power em simplex using A4 paper at 40 ppm; Acoustic pressure emissions bystander (ready): Inaudible Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Non-op humidity range: 20 to 80% RH IEC 60950-1:2005 +A1:2009 +A2:2013 (international); EN60950-1:2006 +A11:2009 +A1:2010 +A12:201	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard ac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) 35 Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals issions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 49 dB(A) printing colo erating humidity range: 10 to 80% RH; Recommended operating humidity range: 10 to 80% RH; Commended operating humidity range: 10 to 80% RH; Recommended operating humidity (CGC) (US); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC ppe); 65 Certificate (Germany, Europe); UL/CUL Listed and UC CGC (US)Canada); CAN/CSA (22.2 No. 60950-1-07)	

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Product walkaround disclaimers

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use.
 ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and
- application software.

Technical specifications disclaimers

- 1 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
 2 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Optional Wireless Direct and Wireless
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see
- http://www.hp.com/go/learnaboutsupplies
- 8 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit hp.com

