# HP LaserJet Managed MFP E82550dn

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.[1]

**Print Speed:** Up to 50 ppm black; First Page Out: As fast as 6 sec black
**Print Resolution:** Black (best): Up to 1200 x 1200 dpi reduced speed
**Standard Connectivity:** 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
**Standard Memory:** Standard: 7 GB; Maximum: 7 GB
**Mobile Printing Capability:** Yes
**Paper Handling:** 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin
**Display:** 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)

## High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

## Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® SharePoint, plus email, USB, and network folders.[2]
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 50 ppm.[3]

## The world's most secure printing[1]

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.[4]
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

# HP LaserJet Managed MFP E82550dn Specifications Table

| | |
|---|---|
| **Functions / Multitasking Supported** | Print, Copy, Scan (fax and wireless optional) / Yes |
| **Print Speed** | **Letter**: Up to 50 ppm black; **First Page Out**: As fast as 6 sec black; [2] |
| **Print Resolution** | **Black (best)**: Up to 1200 x 1200 dpi reduced speed |
| **Print Technology** | Laser |
| **Print Cartridges Number** | 1 (1 black cartridge) |
| **Standard Print languages** | HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible |
| **Printer Smart Software Features** | NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security.[1] Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm[10]—and avoid extra steps with a Flow MFP designed for maximum productivity. |
| **Printer Management** | Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); HP JetAdvantage Security Manager |
| **Scan Type / Technology** | Flatbed, ADF / Platen Scanner CCD Digital-CIS |
| **Scan Resolution** | **Hardware**: Up to 600 x 600 dpi; **Optical**: Up to 600 x 600 dpi |
| **Scan File Format** | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| **Scan Input Modes** | Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications |
| **Scan Size** | **ADF**: 11 x 17 in Maximum; 4.3 x 5.5 in Minimum; **Flatbed**: 11 x 17 in |
| **Scan Speed** | Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)[7] **Duplex**: Up to 180 ipm (b&w), up to 180 ipm (color) |
| **Scanner Advanced Features** | Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB |
| **Bit depth / Grayscale levels** | 24-bit / 256 |
| **Digital Sending Standard Features** | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page |
| **Copy Speed** | **Black (letter)**: Up to 50 cpm |
| **Copy Resolution** | **Black (text and graphics)**: Up to 1200 x 1200 dpi reduced speed; Up to 1200 x 1200 dpi reduced speed; **Color (text and graphics)**: Up to 1200 x 1200 dpi reduced speed |
| **Maximum Number Of Copies** | Up to 999 copies |
| **Copier Resize** | 25 to 400% |
| **Copier Settings** | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build;  job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview |
| **Fax Speed** | **Up to**: 33.6 kbps; **Letter**: 3 sec per page[1] |
| **Fax Resolution** | **Black (best)**: Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); **Black (standard)**: 203 x 98 dpi |
| **Fax Features** | **Fax Memory**: Up to 500 pages; **Auto Fax Reduction Supported**: Yes; **Auto-Redialing**: Yes; **Fax Delayed Sending**: No; **Distinctive Ring Detection Supported**: No; **Fax Forwarding Supported**: No; **Fax Phone TAM Interface Supported**: No; **Fax Polling Supported**: Yes (poll to receive only); **Fax Telephone Mode Supported**: No; **Junk Barrier Supported**: Yes; **Maximum Speed Dialing Numbers**: Up to 1000 numbers (each with 210 destinations); **PC Interface Supported**: Yes; **Remote Retrieval Capability Supported**: No; **Telephone Handset Supported**: No |
| **Standard Connectivity** | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port |
| **Network Capabilities** | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| **Network Ready** | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| **Wireless Capability** | No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above. |
| **Mobile Printing Capability** | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS); IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in[3] |
| **Memory** | **Standard**: 7 GB; **Maximum**: 7 GB |
| **Processor Speed** | 1.2 GHz / **Hard disk:** Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase–Temporary Job Files, Secure Erase–Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. |
| **Duty Cycle** | **Monthly, letter**: Up to 300,000 pages |
| **Recommended Monthly Page Volume** | Up to 100,000 |
| **Media Types Supported** | Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored |

| | |
|---|---|
| **Media Weight Supported** | Tray 1, 2, 3: 16 to 78 lb bond (166 lb Index) |
| **Media Sizes Supported** | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k |
| **Media Sizes Custom** | Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in |
| **Paper Handling** | 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin; **Duplex Options**: Automatic (standard); **Auto Document Feeder Capacity**: Standard, 250 sheets; **Envelope Feeder**: No; **Standard Paper Trays**: 3; **Input Capacities**: Up to 520 sheets; **Output Capacities**: Up to 500 sheets; Up to 40 envelopes |
| **What's in the box** | **X3A72A** Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers. DOES NOT INCLUDE TONER |
| **Replacement Cartridges** | HP Black Managed LJ Toner Cartridge (ISO Yield 69,000) W9014MC[6] |
| **Product Dimensions** | **W x D x H**: 23 x 30.3 x 36.7 in; **Maximum**: 47 x 66 x 30.5 in |
| **Product Weight** | 210.8 lb |
| **Warranty Features** | 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |
| **Energy Efficiency Compliance** | Energy Star; Blue Angel; EPEAT silver |
| **Control Panel** | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard |
| **Display Description** | 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) |
| **Software Included** | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals |
| **Fonts and Typefaces** | 84 scalable TrueType fonts |
| **Compatible Operating Systems** | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) |
| **Compatible Network Operating Systems** | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services) |
| **Minimum System Requirements** | **PC**: 2 GB available hard disk space; OS hardware requirements see microsoft.com; **MAC**: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info |
| **Power** | **Power Supply Type**: Internal (Built-in) power supply; **Power Requirements**: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) |
| **Acoustics** | **Acoustic Power Emissions**: 6.6 B(A) printing mono simplex using A4 paper at 50 ppm; **Acoustic Pressure Emissions**: 50 dB(A) printing mono simplex using A4 paper at 50 ppm |
| **Operating Environment** | **Operating Temperature Range**: 59 to 86ºF; **Recommended Operating Temperature**: 59 to 86ºF; **Storage Temperature Range**: 14 to 104ºF; **Non-Operating Humidity Range**: 10 to 80% RH; **Operating Humidity Range**: 20 to 80% RH; **Recommended Humidity Operating Range**: 20 to 80% RH |
| **Security Management** | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |
| **Accessories** | HP Cabinet Department Y1G16A, Dual Cassette Feeder (2×520) Department Y1F98A, 2000 Sheet HCI Department Y1G21A, 3000 Sheet side HCI Department Y1G20A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Stapler/Stacker Finisher Y1G18A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Booklet Finisher Y1G07A, Hole Punch 2/3 Y1G10A, Hole Punch 2/4 Y1G11A, Hole Punch Swedish Y1G12A, Job Separator Department Y1G01A, DOD CAC Card Reader CC543B, SIPRNet - Classified Card Reader F8B30A, FiH USB Foreign Interface Harness B5L31A, Two internal USB ports for solutions B5L28A, HDD HP Secure High Performance Hard Disk Drive B5L29A, HP JetDirect USB Wireless Print Server J8031A, HP JetDirect Wireless Print Server with NFC J8030A, HPAC Card Reader - HIP1 CZ208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A |
| **HP Service and Support Options** | U9LR0E - HP 1 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR1E - HP 3 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR2E - HP 4 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR3E - HP 5 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR4E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR5E - HP 4 year 4 hour 9x5 Service w/Defective Media Retention for LaserJet E825xx MFP Managed |

Learn more at
hp.com

# HP LaserJet Managed Flow MFP E82550z

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.[1]

**Print Speed:** Up to 50 ppm black; First Page Out: As fast as 6 sec black
**Print Resolution:** Black (best): Up to 1200 x 1200 dpi reduced speed
**Standard Connectivity:** 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port
**Standard Memory:** Standard: 7 GB; Maximum: 7 GB
**Mobile Printing Capability:** Yes
**Paper Handling:** 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin
**Display:** 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD)

## High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

## Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.[2]
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 50 ppm.[3]

## The world's most secure printing[1]

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.[4]
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

## Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.

- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

# HP LaserJet Managed Flow MFP E82550z Specifications Table

| | |
|---|---|
| **Functions / Multitasking Supported** | Print, Copy, Scan (fax and wireless optional) / Yes |
| **Print Speed** | **Letter**: Up to 50 ppm black; **First Page Out**: As fast as 6 sec black; [2] |
| **Print Resolution** | **Black (best)**: Up to 1200 x 1200 dpi reduced speed |
| **Print Technology** | Laser |
| **Print Cartridges Number** | 1 (1 black cartridge) |
| **Standard Print languages** | HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible |
| **Printer Smart Software Features** | NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security.[1] Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm[10]—and avoid extra steps with a Flow MFP designed for maximum productivity. |
| **Printer Management** | Printer Administrator Resource Kit for HP Universal Print Driver (UPD Active Directory Administrator Template, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP WS Pro Proxy Agent); HP JetAdvantage Security Manager |
| **Scan Type / Technology** | Flatbed, ADF / Platen Scanner CCD Digital-CIS |
| **Scan Resolution** | **Hardware**: Up to 600 x 600 dpi; **Optical**: Up to 600 x 600 dpi |
| **Scan File Format** | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| **Scan Input Modes** | Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications |
| **Scan Size** | **ADF**: 11 x 17 in Maximum; 4.3 x 5.5 in Minimum; **Flatbed**: 11 x 17 in |
| **Scan Speed** | Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)[7] **Duplex**: Up to 240 ipm (b&w), up to 240 ipm (color) |
| **Scanner Advanced Features** | Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB |
| **Bit depth / Grayscale levels** | 24-bit / 256 |
| **Digital Sending Standard Features** | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page |
| **Copy Speed** | **Black (letter)**: Up to 50 cpm |
| **Copy Resolution** | **Black (text and graphics)**: Up to 1200 x 1200 dpi reduced speed; Up to 1200 x 1200 dpi reduced speed; **Color (text and graphics)**: Up to 1200 x 1200 dpi reduced speed |
| **Maximum Number Of Copies** | Up to 999 copies |
| **Copier Resize** | 25 to 400% |
| **Copier Settings** | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build;  job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview |
| **Fax Speed** | **Up to** 33.6 kbps; **Letter**: 3 sec per page[1] |
| **Fax Resolution** | **Black (best)**: Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); **Black (standard)**: 203 x 98 dpi |
| **Fax Features** | **Fax Memory**: Up to 500 pages; **Auto Fax Reduction Supported**: Yes; **Auto-Redialing**: Yes; **Fax Delayed Sending**: No; **Distinctive Ring Detection Supported**: No; **Fax Forwarding Supported**: Yes; **Fax Phone TAM Interface Supported**: No; **Fax Polling Supported**: Yes (poll to receive only); **Fax Telephone Mode Supported**: No; **Junk Barrier Supported**: Yes; **Maximum Speed Dialing Numbers**: Up to 1000 numbers (each with 210 destinations); **PC Interface Supported**: Yes; **Remote Retrieval Capability Supported**: No; **Telephone Handset Supported**: No |
| **Standard Connectivity** | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port |
| **Network Capabilities** | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| **Network Ready** | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| **Wireless Capability** | No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above. |
| **Mobile Printing Capability** | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in[3] |
| **Memory** | **Standard**: 7 GB; **Maximum**: 7 GB |
| **Processor Speed** | 1.2 GHz / **Hard disk**: Two 320 GB Standard, embedded HP High-Performance Secure Hard Disk,Total 640 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead. |
| **Duty Cycle** | **Monthly, letter**: Up to 300,000 pages |
| **Recommended Monthly Page Volume** | Up to 100,000 |
| **Media Types Supported** | Plain, HP EcoEFFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g,Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored |
| **Media Weight Supported** | Tray 1, 2, 3: 16 to 78 lb bond (166 lb Index) |
| **Media Sizes Supported** | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch, Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k |
| **Media Sizes Custom** | Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in |
| **Paper Handling** | 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; 500 sheet face-down output bin; **Duplex Options**: Automatic (standard); **Auto Document Feeder Capacity**: Standard, 250 sheets; **Envelope Feeder**: No; **Standard Paper Trays**: 3; **Input Capacities**: Up to 520 sheets; **Output Capacities**: Up to 500 sheets; Up to 40 envelopes |
| **What's in the box** | **X3A71A** Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers. DOES NOT INCLUDE TONER |
| **Replacement Cartridges** | HP Black Managed LJ Toner Cartridge (ISO Yield 69,000) W9014MC[6] |
| **Product Dimensions** | **W x D x H**: 23 x 30.3 x 36.7 in; **Maximum**: 47 x 66 x 30.5 in |
| **Product Weight** | 210.8 lb |
| **Warranty Features** | 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |
| **Energy Efficiency Compliance** | Energy Star; Blue Angel; EPEAT silver |
| **Control Panel** | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard |
| **Display Description** | 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) |
| **Software Included** | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals |
| **Fonts and Typefaces** | 84 scalable TrueType fonts |
| **Compatible Operating Systems** | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) |
| **Compatible Network Operating Systems** | Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services) |
| **Minimum System Requirements** | **PC**: 2 GB available hard disk space; OS hardware requirements see microsoft.com; **MAC**: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info |
| **Power** | **Power Supply Type**: Internal (Built-in) power supply; **Power Requirements**: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) |
| **Acoustics** | **Acoustic Power Emissions**: 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; **Acoustic Pressure Emissions**: 50 dB(A) printing mono simplex using A4 paper at 40 ppm |
| **Operating Environment** | **Operating Temperature Range**: 59 to 86°F; **Recommended Operating Temperature**: 59 to 86°F; **Storage Temperature Range**: 14 to 104°F; **Non-Operating Humidity Range**: 10 to 80% RH; **Operating Humidity Range**: 20 to 80% RH; **Recommended Humidity Operating Range**: 20 to 80% RH |
| **Security Management** | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |
| **Accessories** | HP Cabinet Department Y1G16A, Dual Cassette Feeder (2x520) Department Y1F98A, 2000 Sheet HCI Department Y1G21A, 3000 Sheet side HCI Department Y1G20A, Inner Finisher Y1G00A, Inner Finisher Hole Punch 2/3 Y1G02A, Inner Finisher Hole Punch 2/4 Y1G03A, Inner Finisher Hole Punch Swedish Y1G04A, Stapler/Stacker Finisher Y1G18A, Stapler/Stacker Finisher Staples Y1G14A, Inner Finisher & Booklet Maker Staples Y1G13A, Booklet Finisher Y1G07A, Hole Punch 2/3 Y1G10A, Hole Punch 2/4 Y1G11A, Hole Punch Swedish Y1G12A, Job Separator Department Y1G01A, DOD CAC Card Reader CC543B, SIPRNet - Classified Card Reader F8B30A, FiH USB Foreign Interface Harness B5L31A, Two internal USB ports for solutions B5L28A, HDD HP Secure High Performance Hard Disk Drive B5L29A, HP JetDirect USB Wireless Print Server J8031A, HP JetDirect Wireless Print Server with NFC J8030A, HPAC Card Reader - HIP1 CZ208A, HPAC Card Reader - HIP1 X3D03A, HPAC Card Reader - HIP2 X3D03A, Analog Fax Accessory CC487A |
| **HP Service and Support Options** | U9LR0E - HP 1 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR1E - HP 3 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR2E - HP 4 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR3E - HP 5 year Next Business Day Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR4E - HP 3 year 4 hour 9x5 Service w/Defective Media Retention for LaserJet E825xx MFP Managed; U9LR5E - HP 4 year 4 hour 9x5 Service w/Defective Media Retention for LaserJet E825xx MFP Managed |

## Learn more at
hp.com

---

[1] Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 [2] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. [3] Optional Wireless Direct and Wireless [4] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies [5] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. [6] Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies [7] Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.