

# HP LaserJet Managed MFP E62655dn



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.<sup>1</sup>

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.<sup>1</sup>



## The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>3</sup>
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.



## High-speed performance meets energy efficiency


- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page in as quickly as 7.9 seconds.<sup>2</sup>
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>4</sup>
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.



## Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.<sup>5</sup>
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.

## Product Walkaround



## At a glance

|  |  |
|--|--|
| Model (product number)   | MFP E62655dn (3GY14A)  |
| Functions  | Print, copy, scan, fax (optional)  |
| Print speeds (A4) <sup>3</sup>   | Up to 52 pages per minute (ppm)  |
| Scan speeds (A4, black and colour) <sup>4</sup>                                    | Simplex: Up to 69 ppm<br>Duplex: Up to 111 images per minute (ipm)                                 |
| First page out (A4)  | From ready: <sup>5</sup> As fast as 5.3 seconds<br>From sleep: <sup>6</sup> As fast as 7.9 seconds |
| 100-sheet multipurpose tray 1, 550-sheet tray 2                                    | ✓  |
| Input capacity (standard/maximum <sup>8</sup> )                                    | Up to 650/3,750 sheets   |
| Managed Cartridge yield <sup>9</sup>   | Black: ~50,000 pages   |
| Recommended Monthly Page Volume <sup>10</sup>                                      | 5,000 to 40,000 pages  |
| Recommended Monthly Scan Volume <sup>11</sup>                                      | 14,000 to 24,000 pages   |
| HP High Performance Secure Hard Disk   | Optional   |
| Wireless direct <sup>12</sup> /NFC touch-to-print <sup>13</sup> /BLE <sup>14</sup> | Optional   |
| Wireless networking <sup>15</sup>  | Optional   |

<sup>1</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

<sup>2</sup> An administrator must enable the easy-access USB port before use.

<sup>3</sup> Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>4</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

<sup>5</sup> Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at [hp.com/go/printerclaims](http://hp.com/go/printerclaims).

<sup>6</sup> Measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.

<sup>7</sup> The HP LaserJet Managed MFP E62655dn comes standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. Add up to four additional optional 550-sheet paper feeders; or add one of the other optional accessories (1x550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550 and 2,000-sheet HCl feeder and stand) and up to one additional optional 550-sheet paper feeder. All optional accessories support media sizes up to 216 x 356 mm.

<sup>8</sup> Purchase of optional paper trays required to reach maximum input capacity.

<sup>9</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see [hp.com/go/learnaboutsupplies](http://hp.com/go/learnaboutsupplies). HP Managed Cartridges are not included in printer purchase; purchase separately.

<sup>10</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>11</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>12</sup> Wireless direct printing can be added by purchasing the optional HP Jetdirect 3000w NFC/wireless direct accessory (J8030A). If selected, you cannot also select the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A) or HP Jetdirect 2900nw Print Server (J8031A). Mobile device needs to be connected directly to the signal of a wireless direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting).

<sup>13</sup> Touch-to-print can be added by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see [hp.com/go/businessmobileprinting](http://hp.com/go/businessmobileprinting).

<sup>14</sup> Bluetooth® Low Energy is optional on the HP LaserJet Managed MFP E62655dn with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A) or the HP Jetdirect 3000w NFC/Wireless Accessory (J8030A). Bluetooth is a trademark owned by its proprietor and used by HP Inc. under licence.

<sup>15</sup> Wireless networking can be added with the selection of the optional HP Jetdirect 2900nw Print Server (J8031A). If selected, you cannot also select the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A) or HP Jetdirect 3000w NFC/Wireless Accessory (J8030A). Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

## Technical specifications

|  |   |
|--|---|
| <b>Product name</b>                      | HP LaserJet Managed MFP E62655dn  |
| <b>Product number</b>                    | 3GY14A  |
| <b>Functions</b>                         | Print, Copy, Scan and optional Fax  |
| <b>Print</b>                             |   |
| Duplex printing                          | Automatic (standard)  |
| Print speed <sup>11</sup>                | <b>Black (A4, normal)</b> : Up to 52 ppm; <b>Black (A4, duplex)</b> : Up to 50 ipm; <b>Black (letter, normal)</b> : Up to 55 ppm; <b>Black (letter, duplex)</b> : Up to 53 ipm  |
| First page out <sup>12</sup>             | <b>Black (A4, ready)</b> : As fast as 5.3 sec; <b>Black (A4, sleep)</b> : As fast as 7.9 sec  |
| Print technology                         | Laser   |
| Print resolution                         | <b>Black (best)</b> : Up to 1200 x 1200 dpi; <b>Black (normal)</b> : FastRes1200  |
| Print resolution technology              | FastRes 1200; 1200 x 1200 dpi   |
| Print cartridges number                  | 1 (black)   |
| Standard print languages                 | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™   |
| Printer management                       | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)   |
| <b>Scan</b>                              |   |
| Scan speed <sup>18</sup>                 | <b>Normal (A4)</b> : Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color); <b>Duplex (A4)</b> : Up to 111 ipm (b&w), up to 111 ipm (color)  |
| Scanner specifications                   | <b>Scanner type</b> Flatbed, ADF; <b>Scan technology</b> : Charge Coupled Device (CCD); Contact Image Sensor (CIS); <b>Scan input modes</b> : Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications, HP Scan or user application via TWAIN; <b>Duplex ADF scanning</b> : Yes, single pass duplex scanning; <b>Scan size maximum (ADF)</b> : 216 x 864 mm; <b>Scan size maximum (flatbed)</b> : 216 x 356 mm; <b>Optical scan resolution</b> : Up to 600 dpi; <b>Enhanced Scan Resolution</b> : Up to 600 dpi; <b>Hardware resolution</b> : Up to 600 x 600 dpi   |
| Scan file format                         | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)  |
| Scanner advanced features                | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets   |
| <b>Copy</b>                              |   |
| Copy speed <sup>20</sup>                 | <b>Black (A4, normal)</b> : Up to 52 cpm; <b>Black (letter, normal)</b> : Up to 55 cpm; <b>Black (A4, duplex)</b> : Up to 50 cpm; <b>Black (letter, duplex)</b> : Up to 53 cpm  |
| First copy out                           | <b>Black (A4, ready)</b> : As fast as 4.9 sec; <b>Black (A4, sleep)</b> : As fast as 10.4 sec; <b>Black (letter, ready)</b> : As fast as 4.8 sec  |
| Copier specifications                    | <b>Copier settings</b> : Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); <b>Maximum number of copies</b> : Up to 9999 copies  |
| <b>Connectivity</b>                      |   |
| Standard connectivity                    | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket   |
| Mobile printing capability <sup>6</sup>  | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing  |
| Wireless capability                      | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900w Print Server J8031A  |
| Network capabilities                     | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).   |
| <b>Memory</b>                            | <b>Standard</b> : 1.5 GB (printer); 512 MB (scanner); <b>Maximum</b> : 3 GB MAX memory, when Accessory DIMM is installed  |
| <b>Hard disk</b>                         | 16 GB EMMC Standard. The optional 500GB Encrypted Hard Disk(B5L29A) is only for Upgrade and Replacement.  |
| <b>Processor speed</b>                   | 1.2 GHz   |
| <b>Paper handling</b>                    |   |
| Duty cycle (monthly)                     | <b>Duty cycle (monthly, A4)</b> : Up to 450,000 pages; <b>Recommended monthly page volume</b> : 5,000 to 40,000   |
| Input capacity                           | 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Optional 550-sheet paper feeder, 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity input with 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder  |
| Output capacity                          | 500-sheet output feeder, two-sided printing   |
| Number of paper trays                    | <b>Standard</b> : 2; <b>Maximum</b> : 6   |
| Media types                              | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope   |
| Media weight                             | Feeder 1: 60 to 199 g/m <sup>2</sup> ; feeder 2: 60 to 120 g/m <sup>2</sup>   |
| Media size                               | <b>Custom (metric)</b> : Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mm; <b>Supported (metric)</b> : Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K; <b>ADF</b> : Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in  |
| <b>Printer dimensions (W x D x H)</b>    | 512 x 558 x 640 mm  |
| <b>Printer weight<sup>3</sup></b>        | 33.18 kg  |
| <b>Software included</b>                 | No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com">http://123.hp.com</a>  |
| <b>What's in the box<sup>2</sup></b>     | HP Color LaserJet Printer; HP Original LaserJet Toner Cartridge (toner cartridge installed); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides   |
| <b>Warranty</b>                          | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4G)  |
| <b>Systems</b>                           |   |
| Compatible operating systems             | Windows Sierra OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, For more information on the supported operating systems see <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a>   |
| Minimum system requirements              | <b>Windows</b> : 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; <b>Mac</b> : 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com  |
| Security management                      | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/Firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| <b>Fonts and typefaces</b>               | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>  |
| <b>Control panel</b>                     | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)  |
| <b>Display</b>                           | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)  |
| <b>Power<sup>4</sup></b>                 | <b>Requirements</b> : Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6 A; <b>Consumption</b> : 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off); <b>Typical Electricity Consumption (TEC)<sup>5</sup></b> : ES: 2.348 kWh/week; BA: 2.219 kWh/week; <b>Power supply type</b> : Built-in 115V or 220V Power Supply   |
| <b>Operating environment</b>             | <b>Operating temperature range</b> : 10 to 32.5°C; <b>Recommended operating temperature range</b> : 15 to 27°C<br><b>Operating humidity range</b> : 10 to 80% RH; <b>Recommended operating humidity range</b> : 30 to 70% RH  |
| <b>Acoustics</b>                         | <b>Acoustic power emissions</b> : 7.0 B(A); <b>Acoustic power emissions (ready)</b> : 3.5 B(A); <b>Acoustic pressure emissions bystander (ready)</b> : Inaudible<br>IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A1:2009 +A1:2010 +A1:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 (except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.   |
| <b>Safety approvals and requirements</b> | As required by individual countries.  |
| <b>Supported network protocols</b>       | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP/IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLIP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x   |

## Ordering information

### Accessories

| Number | Description   |
|--------|---|
| 2EH31A | HP MFP Analog Fax Accessory 700                             |
| J8031A | HP Jetdirect 2900nw Print Server                            |
| X3D03A | HP Universal USB Proximity Card Reader                      |
| J8J93A | HP LaserJet 3x550-sheet Paper Feeder with Cabinet           |
| J8J92A | HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand |
| J8J91A | HP LaserJet 1x550 Paper Feeder and Cabinet                  |
| J8J90A | HP LaserJet Envelope Feeder                                 |
| J8J89A | HP LaserJet 550-sheet Feeder Tray                           |
| E5K49A | HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM                   |
| 3JN69A | HP Jetdirect 3100w BLE/NFC/Wireless Accessory               |
| E5K48A | HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM                    |
| B5L31A | HP Foreign Interface Harness                                |
| B5L29A | HP High-Performance Secure Hard Disk                        |
| B5L28A | HP Internal USB Ports                                       |
| 5UT59A | HP MFP Analog Fax Accessory 701                             |
| 4QL32A | HP Legic Secure USB Reader                                  |
| Y7C05A | HP HIP2 Keystroke Reader                                    |

### HP Care Packs

| Number | Description  |
|--------|--|
| U9NM8E | HP 3 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed |
| U9NM9E | HP 4 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed |
| U9NN0E | HP 5 year Next Business Day w/DMR Service for LaserJet MFP E625xx E626xx Managed |
| U9NN1E | HP 3 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed        |
| U9NN2E | HP 4 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed        |
| U9NN3E | HP 5 year 4 hour 9x5 w/DMR Service for LaserJet MFP E625xx E626xx Managed        |

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to [hp.com/go/cpc](http://hp.com/go/cpc)

### Supported paper

Contact HP via phone: Asia: 65 6253 8500



### Original HP ink cartridges and maintenance supplies

| Number  | Description  |
|---------|--|
| W9004MC | HP Black Managed LaserJet Toner Cartridge (Up to 50,000 pages) |
| J8J87A  | HP LaserJet 110V Maintenance Kit                               |
| J8J88A  | HP LaserJet 220V Maintenance Kit                               |

### HP Inc. offices

|             |                   |  |
|-------------|-------------------|--|
| Australia   | (61 3) 8833 5000  | <a href="http://hp.com.au">hp.com.au</a> |
| China       | (010) 6564 3888   | <a href="http://hp.com.cn">hp.com.cn</a> |
| Hong Kong   | (852) 3077 2688   | <a href="http://hp.com.hk">hp.com.hk</a> |
| India       | (80) 2612 9000    | <a href="http://hp.com/in">hp.com/in</a> |
| Indonesia   | (62-21) 5799 1088 | <a href="http://hp.com/id">hp.com/id</a> |
| Korea       | (02) 2199 0114    | <a href="http://hp.co.kr">hp.co.kr</a>   |
| Malaysia    | (603) 2332 3333   | <a href="http://hp.com.my">hp.com.my</a> |
| New Zealand | (09) 918 9555     | <a href="http://hp.co.nz">hp.co.nz</a>   |
| Philippines | (632) 888 5900    | <a href="http://hp.com/ph">hp.com/ph</a> |
| Singapore   | (65) 6275 3888    | <a href="http://hp.com.sg">hp.com.sg</a> |
| Taiwan      | (02) 3789 9900    | <a href="http://hp.com.tw">hp.com.tw</a> |
| Thailand    | (662) 353 9500    | <a href="http://hp.com/th">hp.com/th</a> |
| Vietnam     | (848) 3823 4151   | <a href="http://hp.com/vn">hp.com/vn</a> |

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

### Solutions

For more solutions information, please visit [hp.com/go/gsc](http://hp.com/go/gsc)

## Footnotes

- <sup>1</sup> Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>
- <sup>2</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.
- <sup>3</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>
- <sup>4</sup> Based on the reduced energy use of HP LaserJet printers and cartridges with JetIntelligence introduced since 2015 compared to previous toner versions without JetIntelligence, using EnergyStar methodology.
- <sup>5</sup> HP Black Managed LaserJet Toner Cartridge not included; please purchase separately.
- <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

## Technical specifications disclaimers

- <sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- <sup>2</sup> Standard cartridges included; yields 11, 000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- <sup>3</sup> With print cartridges
- <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- <sup>5</sup> Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- <sup>6</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit <http://hp.com/go/roam>
- <sup>7</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- <sup>9</sup> HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- <sup>10</sup> FCC Class A emissions - for use in commercial environments, not residential environments.
- <sup>11</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>12</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>13</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>14</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- <sup>15</sup> First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.

To learn more, visit [hp.com](http://hp.com)

